

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S133	1	("6775700").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/28 15:34
S134	3	event near3 system near3 log same synchroniz\$4 near access\$3	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S135	3	(system adj event adj log) with (lock or semaphore or mutex or flag or exclusive\$3)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S136	4	event same ((log near file) near5 (lock or semaphore or mutex or exclusive\$3))	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S137	4	management adj application same system adj event adj log	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S138	10	human adj machine adj interface same thin adj client	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S139	16	(event adj log) with (lock or semaphore or mutex or exclusive\$3)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S140	61	(US-20010029446-\$ or US-20020099786-\$ or US-20030061398-\$ or US-20030163598-\$).did. or (US-5592664-\$ or US-5905890-\$ or US-5907658-\$ or US-5923627-\$ or US-5929857-\$ or US-5933826-\$ or US-5961583-\$ or US-5974509-\$ or US-5982459-\$ or US-5984499-\$ or US-6009269-\$ or US-6012081-\$ or US-6023732-\$ or US-6029190-\$ or US-6038563-\$ or US-6073255-\$ or US-6085191-\$ or US-6085236-\$ or US-6092048-\$ or US-6100885-\$ or US-6112319-\$ or US-6118790-\$ or US-6128640-\$ or US-6134596-\$ or US-6138171-\$ or US-6138250-\$).did. or (US-6154773-\$ or US-6154786-\$ or US-6173337-\$ or US-6173355-\$ or US-6182154-\$ or US-6202098-\$ or US-6208350-\$ or US-6209040-\$ or US-6211800-\$ or US-6212560-\$ or US-6212676-\$ or US-6226690-\$ or US-6230160-\$ or US-6233393-\$ or US-6236996-\$ or US-6237049-\$ or US-6247056-\$ or US-6253252-\$ or US-6259829-\$ or US-6272556-\$ or US-6275865-\$ or US-6282581-\$ or US-6289392-\$ or US-6292849-\$ or US-6298370-\$ or US-6308225-\$ or US-6615373-\$).did. or (EP-550196-\$ or EP-713178-\$).did. or (JP-10308927-\$).did. or (US-2001012447-\$ or US-5973748-\$ or WO-200020965-\$ or WO-200036499-\$ or WO-200116740-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2005/11/28 15:45
S141	8	S140 and ((event or alert or log\$4) with (lock or mutex or exclusive or semaphore))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45
S142	8	alarm adj log with (lock\$3 synchroniz\$6 semaphore mutex)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/28 15:45
S143	19	event near3 log near3 (lock or semaphore or mutex or exclusive\$3)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S144	12	alert adj log same system adj manag\$6	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/28 15:45

S145	14	host same system adj manag\$9 adj (application program software process thread) same (event log alarm alert notification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S146	35	system adj manag\$8 adj software and event with system with log	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S147	27	((event or alarm) adj (log or file or list or queue or buffer or database or record or table)) near5 (lock or semaphore or mutex or exclusive\$3)) not ((event or alarm) adj (log or file or list or queue or buffer or database or record)) near5 (lock or semaphore or mutex or exclusive\$3))	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S148	50	(event adj log) with (lock or semaphore or mutex or flag or exclusive\$3)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S149	35	event adj log with (lock\$3 synchroniz\$6 semaphore mutex)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/28 15:45
S150	58	system adj manag\$8 adj software same event	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S151	54	(event adj (log or file or list or queue or buffer)) near5 (lock or semaphore or mutex or exclusive\$3)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S152	74	(event adj log) near manag\$5	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S153	46	(lock or mutex or semaphore) with event with (log\$4 or queue or buffer or table or list) with next	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45
S154	72	network same (event or alarm) near (manag\$8 or notif\$8) same (lock or semaphore or mutex or (exclusive\$3 adj access) or (synchroniz\$8 near access) or (access adj control\$4))	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S155	68	dma same buffer same kernel with driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45
S156	69	band with manag\$6 same (alert or event or notice or notification or log\$4) same (lock or mutex or semaphore or synchron\$8 or serial\$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45
S157	102	system near manag\$6 same ((event or alert or log or alarm) with (lock or mutex or exclusive or semaphore))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45

S158	988	(714/47).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/28 15:45
S159	112	S158 and ((event or alert) with (synchron\$8 or mutex or semaphore or flag or lock or serial\$6 or exclusive))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45
S160	127	system near manag\$6 same ((event or alert or log\$4) with (lock or mutex or exclusive or semaphore))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45
S161	192	(synchroniz\$6 lock\$3 semaphore mutex) near (event alarm notification alert) near (log table list data structure file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S162	113	S161 and (((@ad < "20010618") or (@prad < "20010618") or (@rlad < "20010618"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S163	116	host same system adj manag\$9 adj (application program software process thread)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S164	168	(((alarm or event) near3 (log or table or database or buffer) same (synchroniz\$8 or lock or mutex or semaphore or exclusive\$3) with (access\$3 or control\$4)) not ((alarm or event) near3 (log or table or database or buffer) with (synchroniz\$8 or lock or mutex or semaphore or exclusive\$3) with (access\$3)) not ((alarm or event) near3 (log or table or database or buffer) with (synchroniz\$8 or lock or mutex or semaphore or exclusive\$3) near2 (access\$3 or control\$4))	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S165	179	(alarm or event) near3 (log or table or database or buffer) same (synchroniz\$8 or lock or mutex or semaphore or exclusive\$3) same manag\$8	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S166	209	(alarm or event) near3 (log or table or database or buffer) same (synchroniz\$8 or lock or mutex or semaphore or exclusive\$3) with (access\$3 or control\$4)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S167	187	S158 and ((event or log\$4 or alert) with (synchron\$8 or mutex or semaphore or flag or lock or serial\$6 or exclusive))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	AND	ON	2005/11/28 15:45
S168	539	ofdma	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S169	636	(719/318).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/28 15:45

S170	936	(707/8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/28 15:45
S171	1061	network same (event or alarm) near (manag\$8 or notif\$8) and (lock or semaphore or mutex or (exclusive\$3 adj access) or (synchroniz\$8 near access) or (access adj control\$4))	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S172	1195	(event) near (lock or semaphore or mutex or exclusive\$3)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:45
S173	5260	(718/1-108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/28 15:49
S174	59	S172 and S173	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:49
S175	15	S171 and S173	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 15:49
S176	2	"20020194392"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 16:18
S177	1900	system adj (manager management) same event	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 16:29
S178	97	system adj (manager management) same event near (queue log buffer list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 16:30
S179	1	system adj (manager management) same event near (queue log buffer list) with (lock semaphore mutex synchroniz\$6 near access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 16:30
S180	97	system adj (manager management) same event near (queue log buffer list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:04
S181	121	system adj (manager management) same (event alarm alert) near (queue log buffer list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:19

S182	3	("6571279" "6572662" "6578028").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 11:05
S183	1	("6697802").URPN.	USPAT	OR	ON	2005/11/29 11:07
S184	24	S181 not S180	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:09
S185	22	("3996423" "4298860" "4633246" "4703325" "4748654" "4791658" "4823345" "4856047" "4893307" "4951029" "4964065" "4965772" "4996703" "5049873" "5063523" "5119377" "5136594" "5155842" "5163151" "5210866" "5251302" "5764886").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 11:17
S186	0	("6473795").URPN.	USPAT	OR	ON	2005/11/29 11:18
S187	1	system adj (manager management) same (event alarm alert) near (queue log buffer list) with (lock semaphore mutex synchroniz\$6 adj access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:20
S188	6	system adj (manager management) and (event alarm alert) near (queue log buffer list) with (lock semaphore mutex synchroniz\$6 adj access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 12:49
S189	7	("6477585").URPN.	USPAT	OR	ON	2005/11/29 11:21
S190	7	("4068298" "5165018" "5295244" "5434845" "5488648" "5495470" "5504921").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 11:23
S191	6	system adj (manager management) and (event alarm alert) near (queue log buffer list buffer database) with (lock semaphore mutex synchroniz\$6 adj access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 12:50
S192	6	system adj (manager management) and (event alarm alert) near (queue log buffer list buffer database table) with (lock semaphore mutex synchroniz\$6 adj access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 12:50
S193	140	(event alarm alert) near (queue log buffer list buffer database table) with (lock semaphore mutex synchroniz\$6 adj access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 12:57
S194	45	(event alarm alert) near (queue log buffer list buffer database table) with (lock semaphore mutex synchroniz\$6 adj access\$3) same (manag\$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 13:48
S195	95	S193 not S194	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 12:57
S196	1	("6947972").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:16
S197	12	("20020069199" "5621383" "5696486" "5768501" "5777549" "6040770" "6057757" "6064304" "6138249" "6414595" "6564341" "6697970").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 13:26

S198	1	("6493837").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:26
S199	3	("6493837").URPN.	USPAT	OR	ON	2005/11/29 13:36
S200	1	("5961583").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:36
S201	1	("5961583").URPN.	USPAT	OR	ON	2005/11/29 13:36
S202	6	("4395757" "5010482" "5303368" "5377352" "5504899" "5630128").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 13:37
S203	257	(event alarm alert) near (id identifier) with (next previous current)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 13:52
S204	26	(event alarm alert) near (id identifier) with (next previous current) with (determin\$4 calculat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 14:18
S205	62	(event alarm alert) near (id identifier) with (next previous current) near (event alarm alert)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 14:23
S206	68	(event alarm alert) near (id identifier) with (next previous current last) near (event alarm alert)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 14:23
S207	7	(event alarm alert) near (id identifier) with (last) near (event alarm alert)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 14:28
S208	73	(event alarm alert) near (id identifier) with (process\$3) near (event alarm alert)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 14:28
S209	17	processed near2 (event alarm alert) adj (id identification identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 15:51
S210	26	(handl\$2 complet\$2) near2 (event alarm alert) adj (id identification identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 15:51
S211	6	(handled complet\$2) near2 (event alarm alert) adj (id identification identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 15:52

S212	16	(last previous) near2 (event alarm alert) adj (id identification identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 16:00
S213	238	(index) with (event alarm alert) adj (table list array queue log buffer database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 16:02
S214	119	(index) near5 (event alarm alert) adj (table list array queue log buffer database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 16:02
S215	12	("20020069199" "5621383" "5696486" "5768501" "5777549" "6040770" "6057757" "6064304" "6138249" "6414595" "6564341" "6697970").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/29 16:16